

## **Broad Spectrum**

- Helps provide immune factors for pathogens such as viruses, yeast and bacteria
- Helps increase bioavailability and absorption of nutrients in the body and helps decrease the bioavailability of iron to pathogens
- Research showed colostrum to help stimulate new cell growth of intestinal villi height by greater than 20%
- Laboratory tested to contain antibodies for at least 19 pathogens

### **Ingredients:**

- 100% bovine colostrum

### **Research Study References:**

Burrin, D.G.; Shulman, R.J.; Reeds, P.J.; Davis, T.A.; Gravitt, K.R.; **1992**, "Porcine Colostrum and Milk Stimulate Visceral Organ and Skeletal Muscle Protein Synthesis in Neonatal Piglets," *Journal of Nutrition*, 122(6): 1205-1213.

Funatogawa, K.; Ogasawara, M.; Yamasu, H.; Kirikae, F.; Kimotsuki, K.; Kirikae, T.; **1999**, "Protective Effects of Colostrum Administration on E. coli O157 Infection," *Joint Conference: 40th Annual Meeting of Japanese Society of Tropical Medicine and the 14th Annual Meeting of Japanese Association for International Health, International Medical Center of Japan*; Vol. 27, Vol. 14 respectively.

McConnell, M.A.; Brooks, H.J.L.; Borissenko, M.V.; Buchan, G.; **1998**, "A Comparative Study of Immunoglobulin Levels in Four Colostrum Derived Milk Products," publication forthcoming.

Mero, A.; Miikkulainen, H.; Riski, J.; Pakkanen, R.; Aalto, J.; Takala, T.; **1997**, "Effects of bovine colostrum supplementation on serum IGF-I, IgG, hormone, and saliva IgA during training," *Journal of Applied Physiology*, 83(4): 1144-1151.

Playford, R.J.; Floyd, D.N.; Macdonald, C.E.; Calnan, D.P.; Adenekan, R.O.; Johnson, W.; Goodlad, R.A.; Marchbank, T.; **1999**, "Bovine colostrum is a health food supplement which prevents NSAID induced gut damage," *Gut*, 44(5): 653-658.

Tacket, C.O.; Losonsky, G.; Link, H.; Hoang, Y.; Guesry, P.; Hilpert, H.; Levine, M.M.; **1988**, "Protection by milk immunoglobulin concentrate against oral challenge with enterotoxigenic *Escherichia coli*," *The New England Journal of Medicine*, 318(19): 1240-1243.

